






This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:


1. (Currently Amended) An imide silicone resin with a structure represented by a general formula (1) shown below:



{wherein, each A is a bivalent organic group, each B represents, independently, a trivalent group selected from groups having the formulas shown below, in which two single bonds protruding in a substantially identical direction are bonded to an imide ring to form a ring structure and the third single bond is bonded to Y, Y is a bivalent group represented by a general formula (2) shown below, and n is an integer from 2 to 100:




{wherein in each formula, X represents a hydrogen atom or a methyl group},



{wherein, R¹ represents, independently, a monovalent organic group, and m is an integer from 0 to 100}.

2. (Currently Amended) The imide silicone resin according to claim 1, with a structure represented by a general formula (3) shown below:





{wherein R^1 , A, m, and n are as defined above}.

3. (Original) The imide silicone resin according to claim 1, wherein said n is an integer from 3 to 70.

4. (Original) The imide silicone resin according to claim 1, wherein said m is an integer from 0 to 60.

5. (Currently Amended) The imide silicone resin according to claim 1, wherein each A is represented by the formula:





(wherein, R^2 represents an unsubstituted or substituted monovalent hydrocarbon group of 1 to 10 carbon atoms, and k is an integer from 1 - 20).

6. (Original) The imide silicone resin according to claim 5, wherein said R^2 represents an unsubstituted or substituted monovalent hydrocarbon group of 1 to 6 carbon atoms.

7. (Original) The imide silicone resin according to claim 5, wherein said k is an integer from 1 to 10.


8. (Original) The imide silicone resin according to claim 1, wherein said R^1 represents an unsubstituted or substituted monovalent hydrocarbon group of 1 to 12 carbon atoms.

9. (Original) The imide silicone resin according to claim 1, wherein said R^1 represents an unsubstituted or substituted monovalent hydrocarbon group of 1 to 8 atoms.

10. (Canceled)

11. (Currently Amended) An imide silicone resin with a structure represented by a


general formula shown below:




{wherein, each R^1 represents, independently, a monovalent organic group, A is a bivalent organic group, m is an integer from 0 to 100, and n is an integer from 200 to 100}.

12. (Currently Amended) A production process for the imide silicone resin according to claim 1, comprising:


subjecting an organopolysiloxane represented by a general formula (4) shown below and in imide compound represented by a general formula (5) shown below to an addition reaction:




{wherein, each R^1 represents, independently, a monovalent organic group, and m is an integer from 0 to 100},




{wherein, A is a bivalent organic group, and each C represents, independently, a bivalent group selected from groups shown below:





{wherein, X represents a hydrogen atom or a methyl group}}.

13. (Currently Amended) The production process according to claim 12, wherein said imide compound represented by said general formula (5), said C is a bivalent group represented by a formula shown below:





{wherein, X is as defined above}.

14. (Original) The production process according to claim 12, wherein said m is an integer from 0 to 60.

15. (Original) The production process according to claim 12, wherein said organopolysiloxane is a dimethylpolysiloxane with both molecular chain terminals blocked with dimethylhydrogensiloxy groups, a copolymer of dimethylsiloxane and methylphenylsiloxane with both molecular chain terminals blocked with dimethylhydrogensiloxy groups, a methylphenylpolysiloxane with both molecular chain terminals blocked with dimethylhydrogensiloxy groups, or a mixture of two or more thereof.


16. (Original) The production process according to claim 12, wherein said organopolysiloxane is:









{wherein the formulas Me represents a methyl group}.


17. (Original) The production process according to claim 12, wherein said imide compound comprises at least one compound shown below:






18. (Currently Amended) A production process for the imide silicone resin according to claim 11, comprising:

subjecting an organopolysiloxane represented by a general formula (4) shown below and an imide compound represented by a general formula shown below to an additional reaction:



{wherein, A is a bivalent organic group},



{wherein, each R¹ represents, independently, a monovalent organic group, and m is an integer from 0 to 100}.

19. (Original) A cured resin coating formed by curing an imide silicone resin according to claim 1.